




TUFF SERIES IBCs

Upgrade Your Fleet to Reusable
Intermediate Bulk Containers



TUFF CONTAINERS FOR TOUGH APPLICATIONS

Elkhart Plastics manufactures a complete line of intermediate bulk containers (IBCs) engineered for the safe storage, transportation, and dispensing of regulated and non-regulated liquids.

With a variety of capacities, configurations, and specialty designs available, Elkhart Plastics provides solutions that help customers reduce waste, lower total packaging costs, and maximize long-term return on investment.

SAFELY TRANSPORT, STORE, AND DISPENSE REGULATED MATERIALS

- Protect valuable product with leak-resistant designs and optimized dispensing solutions
- Maximize product recovery with designs that help minimize residual product loss
- Improve handling and workplace safety with stable, stackable designs
- Rotomolded, high-impact polyethylene construction withstands repeated use





TUFF LinQ Valve

TUFF STACK®

Widely used across the industrial and specialty chemical markets as rigid, returnable packaging.

MODEL	SIZE	TARE WT
120 Gallon	45" x 45" x 36"	189 lbs
220 Gallon	45" x 45" x 48"	227 lbs
275 Gallon	45" x 45" x 56"	244 lbs
330 Gallon	45" x 45" x 64"	267 lbs

UN/DOT certified, Title CFR 49 UN31H2, 1.9 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



TUFF LinQ Valve

TUFF STACK PRO®

This model's heavy-duty structural frame offers added container protection and reduced rub points on the bottle.

MODEL	SIZE	TARE WT
275 Gallon	46" x 46" x 62"	290 lbs
330 Gallon	46" x 46" x 70"	310 lbs

UN/DOT certified, Title CFR 49 UN31H1, 1.9 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



TUFF LinQ Valve

TUFF STACK PRO® HEAVYWEIGHT

Made for high pressure materials, this heavyweight model has a 428 kPa (62 psi) design pressure rating to accommodate higher pressure chemicals. The cylindrical shape allows for equal pressures throughout the container.

MODEL	SIZE	TARE WT
275 Gallon	46" x 46" x 62"	372 lbs
330 Gallon	46" x 46" x 70"	396 lbs

UN/DOT certified, Title CFR 49 UN31H1, 1.9 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



TUFF LinQ Valve

TUFF E-SERIES™

This robust and user-friendly solution is designed to outperform standard bottle and cage IBCs.

MODEL	SIZE	TARE WT
275 Gallon	40" x 48" x 51.5"	218 lbs

UN/DOT certified, Title 49 UN31H2, 1.6 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



TUFF LinQ Valve

TUFF CUBE®

This model is designed specifically for use in crop protection, measured in liters to accommodate common product volume requirements.

MODEL	SIZE	TARE WT
454 Liter	36" x 36" x 42.5"	58.5 kg

UN/DOT certified, Title CFR 49 UN31H2, 1.5 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



TUFF LinQ Valve

TUFF CUBE® MAX

This model is designed specifically for use in crop protection, measured in liters to accommodate common product volume requirements.

MODEL	SIZE	TARE WT
454 Liter	36" x 36" x 44"	62 kg

UN/DOT certified, Title CFR 49 UN31H2, 1.5 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.

Rigid & Reusable Bulk Plastic Packaging

TUFF LINQ® VALVE

Safely dispense regulated chemicals with the patented TUFF LinQ outlet valve.

- 30% stronger, more secure connection with an integrated male cam-lock fitting and dust cap
- Improved sanitary design with large external threading that eliminates internal threads in the product zone, reducing contamination risk
- Easy-to-clean, superior seal that simplifies maintenance and supports regulatory compliance
- Flexible valve configurations including Stubby or 2" Ball valve options, with select models offering a check ball to prevent backflow and enhance product security

U.S. Patent 11,713,238



140L SVR

A specialized packaging solution designed for low-volume chemical shipments.

MODEL	SIZE	TARE WT
140 Liter	23" x 23" x 36"	28.9 kg

UN/DOT certified, Title CFR 49 UN3H1W, 1.5 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.



60L COMPOSITE DRUM

The first UN/DOT-certified composite drum featuring a fully replaceable liner.

MODEL	SIZE	TARE WT
60 Liter	30.25" x 18.25"	60L / 15.85 gal.

UN/DOT certified, Title CFR 49 UN6HH1, 1.2 specific gravity, measured in gallons and liters. All dimensions and tare weights are approximate.

TUFF SERIES FEATURES

The features detailed below apply to most TUFF Series IBC containers. Specific features vary per product type.

Interlocking Stacking Design, 2-3 High

Customize With Your Company Logo and Product Information

Made from HDPE, FDA-Compliant Prime Virgin Resin

2" TUFF LinQ Outlet Valve

Integrated Anti-Teeter Bars

(2) 2" Top Ports for Optional Accessory Fittings

Optional Heavy-Duty S/S Top Lifting Package

6" Top Fill Lid with 2" Port

Molded-In & Marked Volume Markers

Multiple Base Color Options

4-Way Forklift & 2-Way Pallet Jack Access



INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Metal
Treatment



Oil & Gas



Paint &
Coatings



Water
Treatment