



Tuff Series IBCs

**Rigid & Reusable Bulk
Plastic Packaging**

Tuff Containers for Tough Chemicals

Safely transport, store, and dispense hazardous materials



Myers IBC Advantages

Rigid & Reliable Strength

UN/DOT Certified for Packing Groups II and III hazardous and non-hazardous materials. Rotationally molded using industrial-grade and corrosion-free HDPE to have thick, durable walls and high impact strength.

Easy to Use

Molded-in and inked volume markers added for approximate product filling and monitoring. The sloped bottom maximizes drainage, reducing product waste. The valve area is easily accessible by operators, and Tuff Series totes stack seamlessly with other brands.

Cost Efficient & Low Impact

Returnable IBC tanks are constructed for reuse for 7-10 years*, designed for multiple and repeated turns. Investing in a fleet of asset tanks delivers a higher ROI and reduces waste compared to one-way containers meant for single use.

**life cycle varies depending on application*



Tuff LinQ™ Valve

Offering a 30% stronger connection than the industry standard valve! Available in standard and stubby versions, Tuff LinQ is designed with external threads to eliminate threads within the produce zone creating an improved sanitary connection. U.S. Patent 11,713,238



TUFF Series IBC
All plastic, stackable
& reusable IBCs

Tuff Stack Pro™ / Tuff Stack Pro™ Heavy Weight

The most robust model offers a rigid structural frame for added protection and a cylindrical shape for equal pressures throughout the tank. Also available in a 428kPa heavyweight model for high-pressure materials.

Model	Size	Tare WT	Tare Wt Heavy
275 Gallon	46" x 46" x 62"	290 Lbs	372 Lbs
330 Gallon	46" x 46" x 70"	310 Lbs	396 Lbs

UN/DOT Certified, Title 49 UN31H1, 1.9 specific gravity, Measured in gallons and liters

Tuff Stack™

Widely used across the industrial and specialty chemical markets as a rigid, returnable packaging.

Model	Size	Tare WT
120 Gallon	45" x 45" x 36"	185 Lbs
220 Gallon	45" x 45" x 48"	215 Lbs
275 Gallon	45" x 45" x 56"	235 Lbs
330 Gallon	45" x 45" x 64"	255 Lbs

UN/DOT Certified, Title 49 UN31H2, 1.9 specific gravity, Measured in gallons and liters

Tuff Cube™ / Tuff Cube MAX™

This model is designed specifically for use in crop protection, measured in liters to accommodate common product volume requirements.

Model	Size	Tare WT
454 Liter	36" x 36" x 44"	155 Lbs

UN/DOT Certified, Title 49 UN31H2, 1.5 specific gravity, Measured in gallons and liters

140L SVR

Durable packaging for high value, small volume shipments with a removable top for easy bottle replacements.

Model	Size	Tare WT
140 Liter	23" x 23" x 36"	64 Lbs

UN/DOT Certified, Title 49 UN3H1, 1.5 specific gravity, Measured in gallons and liters

Tuff Series Features

The features detailed below apply to most Tuff Series IBC containers. Specific features vary per product type.

(2) 2" Accessory
Fitting Ports

6" Top Fill Lid With 2" Port

Interlocking Stacking
Design, 2-3 High

Molded-In & Marked
Volume Markers

Customize With Your
Company Logo and
Product Details

Made from HDPE, FDA-
Compliant Prime Virgin Resin

2" Tuff LinQ™ Outlet Valve

Multiple Base Color Options

Integrated Anti-Teeter Bars

4-Way Forklift & 2-Way
Pallet Jack Access



Markets We Service



Agricultural



Water Treatment



Metal Treatment



Industrial Chemicals



Paint & Coating



Oil & Gas

Contact to Order
574.825.9797

ibc.sales@epi-ROTO.com

tuffseriesibc.com